## **ADDITIONAL COMMENTS**

## FEASIBILITY STUDY WORK PLAN FOR THE LOWER PASSAIC RIVER STUDY AREA REMEDIAL INVESTIGATION/FEASIBILITY STUDY DATED DECEMBER 23, 2014

No.	Page No.	Specific Comments		
1	Section 1.1.1, Page 1-2	Please modify the first sentence of this section. There appears to be a typo.		
2	Section 1.2.2, Page 1-9, third paragraph, third sentence	Please delete the reference to Table 1-2 as this table was removed from the report.		
3	Section 8, Page 8-1, first paragraph	EPA responded to the CPG's 1/24/2014 letter requesting modification of interim deliverables for the FS on February 18, 2014. As such, there is no need to assume EPA's position on these requests. Instead, reference can be made to our 2/18 letter and the rest of Section 8 should be consistent with the letter.		
4	Section 8.1, Page 8-1	EPA's February 18, 2014 letter states that the RAO/PRG Technical Memorandum should be submitted by May 2014. Please let us know the status of this interim submittal.		
5	Section 8.2, Page 8- 1, first paragraph	At the end of the third sentence add the phrase "for review and possible additional comment."		
		Please explain why the following data sets were removed from the table:		
		Under Sediments: The TSI 1995 RI Sampling program (RM 1-6.7; 100 cores collected)		
		2. Under Ecological/Tissue Sample:		
6	Table 1-1	a. TSI 1999-2001 RI/ESP biota sampling program (RM 1-6.9; fish, crab, and mussel tissue samples collected from 154 locations)		
		b. CARP 2000-2004 harbor fish/crustacean collection (RM 2.6)		
		c. EPA 2000, 2002 EMAP/REMAP within the National Coastal Assessment  – Northeast/New Jersey Coast (crab, lobster, and fish tissue collection)		

## COMMENTS

## FEASIBILITY STUDY WORK PLAN FOR THE LOWER PASSAIC RIVER STUDY AREA REMEDIAL INVESTIGATION/FEASIBILITY STUDY REVISION 3, DATED AUGUST 6, 2014

No. Page No.	EPA 4/3/2014 Comment	CPG 8/6/2014 Response	EPA 10/30/2014 Response	CPG 12/23/2014 Response	Assessment of Response
	The concepts/definitions for "remedial action	RALs and SWACs have been used at several	The concept of remedial action levels (RALs)	Definition of surface weighted	The definition of SWAC
	level" (RAL), and "surface weighted average	CERCLA sites. Examples of the use of RALs and	is fairly straight forward (i.e., clean up	average concentrations revised as	was revised, but the word
	concentrations" (SWACs) require a reference	SWACs include:	contamination above the RAL to achieve a	requested.	"removing" was not
	within the context of Superfund Remedial		specific remedial goal which is generally lower		replaced with "minimizing"
	Actions.	Fox River ROD – OU1 and OU2, (12/02), p.	than the RAL). At some point, both the	A statement indicating that the	in the phrase "removing the
		83:	underlying mechanism for deriving RALs for	development and application of	influence of spatially biased
	In addition, prior to approval for development and		the LPRSA and how RALs are directly linked	RALs will be documented in the	sampling". The use of
	use of RALs and SWACs in this study,	"The term Remedial Action Level (RAL) refers to	to the project-specific, risk-based remediation	Remedial Alternative Screening	SWACs cannot completely
	clarification is needed on the underlying	PCB concentrations in sediment used to define an	goals (such as PRGs), must be fully	technical memorandum has been	eliminate the influence of
	mechanism for their development, along with	area or volume of contaminated sediment that is	described.	added to Section 5.2.	spatially biased sampling
	their connection to Remedial Action Objectives,	targeted for remediation."			but rather minimize the bias
	risk-based threshold concentrations (RBTC) and		The use of surface weighted average		associated with such
	Preliminary Remediation Goals (PRGs) within	"The SWAC in this instance is less than the RAL	concentrations (SWACs) is dependent on		sampling. Please change
	the context of the Superfund Program and this	because the SWAC is calculated as an average	factors such as exposure area and		"removing" to "minimizing."
	project.	concentration over the entire OU 1, after the	contaminant distribution.		
		removal of sediment from discrete areas			
	Please note that the RAL definition that the	("deposits") which are above the RAL and includes	Therefore, EPA recommends that the		
	concept and application is still under	averaging over areas in which there are surface	definition be revised to read:		
	development and that inclusion of RALs has not	concentrations less that the RAL."			
	been approved by EPA for inclusion in the FS,		"SWACs are similar to a simple arithmetic		
	but will be further evaluated upon submission of	Lower Duwamish Waterway Proposed Plan	average of point concentrations over a		
	interim FS technical memorandums. Please see	(2/28/13), p. 51:	defined area, except that each individual		
13 Section	specific comment #48 for further discussion on		concentration value is weighted in proportion		
1.2.1	this topic.	"Remedial Action Levels (RALs) are contaminant-	to the area it represents, thereby minimizing		
		specific sediment concentrations that will be used	the influence of spatially biased sampling.		
		to identify specific areas of sediments that require	SWACs have been used at several other		
		active remediation (dredging, capping, enhanced	CERCLA contaminated sediment sites (e.g.,		
		natural recovery [ENR], or a combination thereof),	Fox River [WDNR and USEPA 2002] and		
		taking into consideration the human health and	Lower Duwamish Waterway [EPA 2013b])		
		ecological risk reduction that could be achieved by	and may be used to evaluate reductions in		
		the different remedial technologies	sediment concentrations. The selected area		
		"Fach alternative has its own set of addiment	over which a SWAC is applied is specific to		
		"Each alternative has its own set of sediment	the receptor being evaluated. For example,		
		RALs. Sediment RALs reflect a range in risk	river-wide SWACs may be appropriate for		
		reduction to be achieved over time, in the projected	estimating risks attributable to human		
		rate of natural recovery, and in which remedial	consumption of fish or shellfish that range		
		technologies are used."	over wide areas. SWACs may also be		
		Lower Duwamish Waterway Feasibility Study	calculated for smaller exposure areas for		
		Lower Duwamish Waterway Feasibility Study (10/31/12, p. 1-9):	receptors with smaller home ranges."		
			Additionally, the Remedial Alternative		
		"Sediment concentrations are expressed and	Screening technical memorandum has not yet		
		evaluated in the FS in two ways: as individual point	been provided to EPA. Please ensure any		
		concentrations or as SWACs. Risk- based	reference in the document is corrected. The		
		threshold concentrations were developed in the RI	application of RALs for this project, which		
			includes how RALs are derived and relate to		

No.	Page No.	EPA 4/3/2014 Comment	CPG 8/6/2014 Response	EPA 10/30/2014 Response	CPG 12/23/2014 Response	Assessment of Response
			and may be expressed as either point concentrations or SWACs."  Grasse River ROD (4/13). p. 29:	risk-based levels and the proposed RALs themselves will require EPA review and approval.		
			EPA chose an action level of 1 mg/kg for PCBs in sediment based on the action level's projected ability to achieve EPA's PCB target concentrations in fish for protection of human health, and to achieve the remedial goal for PCBs in fish that is protective of ecological receptors.			
			These references to use of RALs and SWACs within the context of Superfund Remedial Actions were provided in Sections 1.21 and 5.2 of the Work Plan.			
			The mechanism for the development and application of RALs and their connection to RAOs, RBTCs, and PRGs was presented in the Remedial Alternative Screening technical memorandum.			
			The definition of the RAL does not depend on EPA approval of the concept. No change was made to the definition.			
	Section	This section states that "PRGs will be expressed as sediment concentrations for the risk drivers, and will be established considering risk-based threshold concentrations (RBTCs, ARARs, background concentrations, and PQLs)."	Text was revised to state that PRGs may be expressed as tissue concentrations or sediment concentrations (note this is consistent with text in Section 3.2 of the FSWP).	The revised language should say "and/or" sediment concentrations.  Change the last section of the definition to read as follows:	Text revised to state "expressed as tissue, sediment, and/or surface water concentrations"	The text in Section 3.2 should also be revised to match the revised text in Section 1.2.1 (Section 3.2, bottom of page 3-2 to top of page 3-3).
14	1.2.1, Page 1-7	Further clarification is needed, in that protective tissue-based concentrations will also be needed for guiding remedial goals and measuring remedy success through long term monitoring.		For the FS, PRGs will likely be expressed as tissue, sediment and surface water concentrations for the risk drivers, and will be established considering risk-based threshold concentration (RBTCs), ARARs, background concentrations, and PQLs.		page 6 6).
17	Section 1.2.2, Page 1-10	Please remove the phrase "the substantive treatability study requirements of the AOC and SOW have been met through" and instead state that "several bench-scale tests, pilot tests, and removal actions have been undertaken to date by"	Text was revised as requested in comment. A statement was added following the bullets to clarify that no other bench-scale tests or pilot tests are planned to complete the FS.	Please add the word "currently" before planned in the statement "no other bench-scale tests or pilot tests are planned"	Text revised as requested.	The text was revised as requested. However, this change also needs to be made in Section 4.2 (page 4-4, last paragraph, first sentence).

New Comments on Revised FSWP Dated August 6, 2014			CPG 12/23/2014 Response	Assessment of Response
7	Page 3-5, Section 3.2.3, Second paragraph, First sentence	The document makes the following statement: "Consistent with USEPA (2002b) guidance on use of background in remediation, risk-based PRGs that are below natural or anthropogenic background are generally not used to establish final cleanup levels."  This statement is not made in the referenced guidance document. The guidance actually states "Generally, under CERCLA, cleanup levels are not set at concentrations below natural background levels. Similarly, for anthropogenic contaminant concentrations, the CERCLA program normally does not set cleanup levels below anthropogenic background concentrations."  The guidance document does not make any reference to PRGs. Please revise accordingly.	As discussed during the EPA/CPG FSWP teleconference on 11/7/14, the definition was revised to directly quote the guidance, and the discussion of the process of developing PRGs, including consideration of background, will be retained.	The first instance of the word "background" is omitted from the quote from the guidance in the revised text.